

# Briton

## لیست قیمت محصولات AHD برای تون

بهمن ماه ۱۴۰۳



# AHD

Camera

## AM Series <sup>1080P Lite</sup>

### 1. UVR-7TAA04AM-D54G



H.265+ 4ch 1080P Lite 15fps 5 in1 UVR  
4ch 1080P Lite 15fps Recording/ 4ch Playback  
Video I/O: 4/ 1; Audio I/O: 1 /1; HDMI,VGA,CVBS, SATA\*1(8T HDD), 3G/4G, WIFI  
USB Mouse, DC12V/2A Adapter Mic Support in Coaxial Mode  
Smart Playback . Cloud Update . Cloud Storage  
Line Crossing . Area Intrusion , **Deterrence Support**  
**4ch SMD based on Human and Vehicle**  
Extra 2CH IP Event Stream Lock Files . Multi Cast



30,700,000 IR

### 2. UVR-7TAA08AM-D58G



H.265+ 8ch 1080P Lite 12fps 5 in1 UVR  
8ch 1080P Lite 12fps Recording/ 8ch Playback  
Video I/O: 8/ 1; Audio I/O: 1 /1; HDMI,VGA,CVBS, SATA\*1(8T HDD), 3G/4G, WIFI  
USB Mouse, DC12V/2A Adapter  
Mic Support in Coaxial Mode , **Deterrence Support**  
Smart Playback . Cloud Update . Cloud Storage  
Line Crossing . Area Intrusion  
**4ch SMD based on Human and Vehicle**  
Extra 2CH IP Event Stream . Lock Files . Multi Cast



41,700,000 IR

### 3. UVR-7TCA16AM-D5C6



H.265+ 16ch 1080P Lite 12fps 5 in1 UVR  
16ch 1080P Lite 12fps Recording/ 16ch Playback  
Video I/O: 16/ 1; Audio I/O: 1 /1; HDMI,VGA,CVBS, SATA\*1(8T HDD), 3G/4G, WIFI  
USB Mouse, DC12V/2A Adapter  
Mic Support in Coaxial Mode , **Deterrence Support**  
Smart Playback . Cloud Update . Cloud Storage  
Line Crossing . Area Intrusion  
**8ch SMD based on Human and Vehicle**  
Extra 2CH IP Event Stream . Lock Files . Multi Cast



71,400,000 IR

## H Series <sup>5MP Lite</sup>

### 4. UVR-7TAA04H-D54G



H.265+ 4CH 5MP Lite@ 12fps UVR  
4ch 5MP Lite@12fps Recording/4ch Playback  
4ch 1080P@15fps Recording/4ch Playback  
Video I/O:4/ 1; Audio I/O: 1/ 1; HDMI,VGA,CVBS,SATA\*1(8TB HDD), 3G/4G, WIFI  
USB Mouse, DC12V/2A Adapter  
Mic Support in Coaxial Mode  
Smart Playback . Cloud Update . Cloud Storage  
Line Crossing . Area Intrusion  
Extra 2CH IP . Event Stream . Lock Files . Multi Cast



46,000,000 IR

### 5. UVR-7TCA08H-D58G



H.265+ 8CH 5MP Lite@ 12fps UVR  
8ch 5MP Lite@12fps Recording/8ch Playback  
8ch 1080P@15fps Recording/8ch Playback  
Video I/O:8/ 1; Audio I/O: 1/ 1; HDMI,VGA,CVBS,SATA\*1(8T HDD), 3G/4G, WIFI  
USB Mouse, DC12V/2A Adapter  
Mic Support in Coaxial Mode  
Smart Playback . Cloud Update . Cloud Storage  
Line Crossing . Area Intrusion  
Extra 2CH IP . Event Stream . Lock Files . Multi Cast



66,200,000 IR

**6. UVR-7THB16H-D5C8**



H.265+ 16CH 5MP Lite@12fps UVR  
16ch 5MP Lite@12fps/1080P@15fps/1080P Lite@25fps Recording/16ch Playback  
Video I/O: 16/ 1; Audio I/O: 4/ 1; HDMI,VGA,CVBS,  
SATA\*1(8T HDD), 3G/4G, WIFI, PTZ ,USB Mouse, DC12V/2A Adapter  
Mic Support in Coaxial Mode  
Line Crossing . Area Intrusion . Region Entrance . Region Existing  
Fast Moving .Unattended Object . Object Missing .  
**Face Detection**, Cloud Storage & Upgrade .  
Smart Playback .Multi Cast. Extra 4CH IP, Dimension:250(W)x230(D)x45(H)mm



120,000,000 IR

**7. UVR-7THB16H-G1C5**



H.265+ 16CH 5MP Lite@12fps UVR  
16ch 5MP Lite@12fps/1080P@15fps/1080P Lite@25fps Recording/16ch Playback  
Video I/O: 16/ 1; Audio I/O: 4/ 1; Alarm I/O: 4/ 1,HDMI,VGA,CVBS,  
SATA\*2(8T HDD), 3G/4G, WIFI, PTZ USB Mouse, DC12V/4A Adapter  
Mic Support in Coaxial Mode  
Line Crossing . Area Intrusion . Region Entrance  
Region Existing Fast Moving . Unattended Object . Object Missing .  
**Face Detection**, Cloud Storage & Upgrade , Smart Playback  
Multi Cast , Extra 4CH IP, Dimension:326(W)x243(D)x52(H)mm



135,000,000 IR

**AH Series 5MP Lite**

**8. UVR-7TAA04AH-D14G**



H.265+ 4ch 5MP Lite@12fps UVR  
4CH 5M Lite@12fps/4M Lite@15fps/1080P@15fps Recording/4ch Playback  
Video I/O:4/ 1; Audio I/O: 1/ 1; HDMI,VGA,CVBS,SATA\*1(8TB HDD), 3G/4G, WIFI  
USB Mouse, DC12V/2A Adapter  
Mic Support in Coaxial Mode , **Deterrence Support**  
Smart Playback . Cloud Update . Cloud Storage  
Line Crossing , Area Intrusion ,**Face detection**  
**SMD based on Human and Vehicle , PP**  
Extra 2CH IP . Event Stream . Lock Files . Multi Cast



49,000,000 IR

**9. UVR-7TAB08AH-D18A**



H.265+ 8CH 5MP Lite@ 15fps UVR  
8CH 5M Lite@15fps/4M Lite@15fps/1080P@15fps Recording/8ch Playback  
Video I/O:8/ 1; Audio I/O: 1/ 1; HDMI,VGA,CVBS,SATA\*1(8TB HDD), 3G/4G, WIFI  
USB Mouse, DC12V/2A Adapter  
Mic Support in Coaxial Mode , **Deterrence Support**  
Smart Playback . Cloud Update . Cloud Storage  
**(Line Crossing , Area Intrusion , Face detection , SMD based on Human and Vehicle , PP) Optional**  
Extra 2CH IP . Event Stream . Lock Files . Multi Cast,



68,500,000 IR

**10. UVR-7TCG16AH-G1C5**



H.265+ 16CH 5MP Lite@ 12fps UVR  
16ch 5MP Lite@12fps; 16ch 4MP Lite/1080P@15fps Recording/16ch Playback  
Video I/O:16/ 1; Audio I/O: 4/ 1; **Alarm I/O: 4/ 1**,HDMI,VGA,CVBS,SATA\*2(8TB HDD)  
3G/4G, WIFI,USB Mouse, DC12V/4A Adapter /1;**RS485**  
Mic Support in Coaxial Mode , **Deterrence Support**  
Smart Playback . Cloud Update . Cloud Storage  
**Line Crossing , Area Intrusion , Face detection , 16CH SMD based on Human and Vehicle , PP**  
Extra 8CH IP . Event Stream . Lock Files . Multi Cast,



140,000,000 IR

## RQ & Q Series <sup>8MP</sup>

### 11. UVR-7TCA04RQ-D149



H.265+ 4CH **8MP** 5 in 1 UVR  
 4ch 8MP 7fps Recording / 1ch Playback  
 4ch 5MP 12fps Recording / 4ch Playback  
 4ch 8MP Lite 15fps Recording / 4ch Playback  
 Video I/O: 4/ 1; Audio 4/ 1 HDMI, VGA, CVBS, SATA\*1(10T HDD), 3G/4G, WIFI, PTZ  
 DC 12V/2A Adaptor Event Stream . Lock Files . Multicast Human Body Detection  
 Smart Playback . Cloud Update . Cloud Storage . USB Mouse  
 Line Crossing . Area Intrusion . Region Entrance . Region Existing Fast Moving .  
 Unattended Object . Object Missing . **Face Detection**  
 Extra 4CH IP . Event Stream . Lock Files . Multi Cast . HDMI 4K Support



72,000,000 IR

### 12. UVR-7TCG08RQ-D189



H.265+ 8CH **8MP** 5 in 1 UVR  
 8ch 8MP 7fps Recording / 4ch Playback  
 8ch 5MP 12fps Recording / 8ch Playback  
 4ch 8MP Lite 15fps Recording / 8ch Playback  
 Video I/O: 8/ 1; Audio 4/1; **RS485**  
 HDMI, VGA, CVBS, SATA\*1(10T HDD), 3G/4G, WIFI, PTZ  
 Smart Playback . Cloud Update . Cloud Storage  
 Line Crossing . Area Intrusion  
 Extra 8CH IP . Event Stream . Lock Files . Multi Cast . HDMI 4K Support



110,000,000 IR

### 13. UVR-7TCG08RQ-G181




H.265+ 8CH **8MP** 5 in 1 UVR  
 8ch 8MP 7fps Recording / 4ch Playback  
 8ch 5MP 12fps Recording / 8ch Playback  
 4ch 8MP Lite 15fps Recording / 8ch Playback  
 Video I/O: 8/ 1; Audio 4/1; **Alarm 4/1; RS485**  
 HDMI, VGA, CVBS, **SATA\*2(10T HDD)**, 3G/4G, WIFI, PTZ  
 Smart Playback . Cloud Update . Cloud Storage  
 Line Crossing . Area Intrusion  
 Extra 8CH IP . Event Stream . Lock Files . Multi Cast . HDMI 4K Support



CALL

**1. UVC-101B1AR-L**  
(3.6mm)



1/ 3" CMOS Sensor  
2MP@25/30  
IR Cut, 2D/3D DNR, UTC,DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera  
2pcs SMD LED + 1pcs **White light**  
IR range up to 30M  
3.6 mm Lens  
Weather Resistance : IP67


Metal + Plastic Housing  
Size: 65.5X183mm

Gross Weight: 220g



12,600,000 IR

**2. UVC-231B1AR-L**  
(3.6mm)



1/ 3" CMOS Sensor  
2MP@25/30  
IR Cut, 2D/3D DNR, UTC,DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera  
2pcs SMD LED + 1pcs **White light**  
IR range up to 30M  
3.6 mm Lens  
Weather Resistance : IP67

Metal + Plastic Housing  
Size: 65.5X183mm

Gross Weight: 220g



12,600,000 IR

**3. UVC-222B1AM-M**  
(3.6mm)



1/ 2.9" CMOS Starlight Sensor  
2MP@25/30fps  
IR Cut, 2D/3D DNR, UTC,DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera , **Built in Mic**  
2pcs SMD LED  
IR range up to 30M  
**3.6mm Fixed Lens**  
Weather Resistance : IP67

Metal Housing  
Size: 68X172.3mm

Gross Weight: 400g



13,700,000 IR

**4. UVC-222B1AM-M**  
(4.0mm)



1/ 2.9" CMOS Starlight Sensor  
2MP@25/30fps  
IR Cut, 2D/3D DNR, UTC,DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera , **Built in Mic**  
2pcs SMD LED  
IR range up to 30M  
**4.0 mm Fixed Lens**  
Weather Resistance : IP67

Metal Housing  
Size: 68X172.3mm

Gross Weight: 400g



13,700,000 IR

**5. UVC-222B49M-MC**  
(2.8mm)



1/ 2.9" CMOS Starlight Sensor  
2MP@25/30fps  
2D DNR, UTC , DWDR  
AHD/TVI/CVI/CVBS Output  
**Full color**  
Fixed Bullet Camera, **Built in Mic**  
2pcs Warm light  
Warm light range up to 30M  
**2.8mm Fixed Lens**  
Weather Resistance : IP67

Metal Housing  
Size: 68x153mm

Gross Weight: 300g



17,500,000 IR

**6. UVC-222B49M-MC**  
(3.6mm)



1/ 2.9" CMOS Starlight Sensor  
2MP@25/30fps  
2D DNR, UTC , DWDR  
AHD/TVI/CVI/CVBS Output  
**Full color**  
Fixed Bullet Camera, **Built in Mic**  
2pcs Warm light  
Warm light range up to 30M  
**3.6mm Fixed Lens**  
Weather Resistance : IP67

Metal Housing  
Size: 68x153mm

Gross Weight: 300g



17,500,000 IR



17,000,000 IR



17,000,000 IR



16,300,000 IR



16,300,000 IR




18,500,000 IR



22,500,000 IR


**7. UVC-232B1AR-MC**  
(2.8mm)



1/ 2.9" CMOS Starlight Sensor  
2MP@25/30fps  
2D DNR, UTC , DWDR  
AHD/TVI/CVI/CVBS Output  
Full color  
Fixed Bullet Camera, Built in Mic  
2pcs Warm light  
Warm light range up to 30M  
2.8mm Lens, F1.6  
Weather Resistance : IP67

Metal + Plastic Housing  
Size: 68X153mm  
Gross Weight: 280g

**8. UVC-232B1AR-MC**  
(3.6mm)



1/ 2.9" CMOS Starlight Sensor  
2MP@25/30fps  
2D DNR, UTC , DWDR  
AHD/TVI/CVI/CVBS Output  
Full color  
Fixed Bullet Camera, Built in Mic  
2pcs Warm light  
Warm light range up to 30M  
3.6mm Lens, F1.6  
Weather Resistance : IP67

Metal + Plastic Housing  
Size: 68X153mm  
Gross Weight: 280g

**9. UVC-78B29**  
(2.8mm)



1/ 2.9" CMOS Sensor  
2MP@25/30fps  
IR Cut, 2D/3D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera  
30pcs SMD LED  
IR range up to 50M  
2.8mm Lens  
Weather Resistance : IP66

Metal Housing  
Size: 67X211mm  
Gross Weight: 720g

**10. UVC-221B59M**  
(2.8mm)



1/ 2.9" CMOS Sensor  
2MP@25/30fps  
IR Cut, 2D/3D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera  
3Pcs SMD LED  
IR range up to 50M  
2.8mm Lens  
Weather Resistance : IP67

Metal Housing  
Size: 68X172.3mm  
Gross Weight: 400g

**11. UVC-232B59R-MC**  
(3.6mm)



1/ 2.9" CMOS Starlight Sensor  
2MP@25/30fps  
2D DNR, UTC , DWDR  
AHD/TVI/CVI/CVBS Output  
Full color  
Fixed Bullet Camera, Built in Mic  
2pcs Warm light  
Warm light range up to 50M  
3.6mm Lens, F1.6  
Weather Resistance : IP67

Metal + Plastic Housing  
Size: 78.1x73.1x227.6 mm  
Gross Weight: 320g

**12. UVC-232B1AM-MU**  
(2.8mm)



1/ 2.9" CMOS Starlight Sensor  
2MP@25/30fps  
IR Cut, 2D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera , Built in Mic , Dual light  
1pcs Warm Light and 1pcs Array LED  
IR 30m , warm light 20m  
2.8mm Lens , F 1.6  
Weather Resistance : IP67

Metal Housing  
Size: 68X172.3mm  
Gross Weight: 420g

**13. UVC-232B1AM-MU**  
(3.6mm)



1/ 2.9" CMOS Starlight Sensor  
2MP@25/30fps  
IR Cut, 2D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera, **Built in Mic**, **Dual light**  
1pcs Warm Light and 1pcs Array LED  
IR 30m , warm light 20m  
**3.6mm Lens , F 1.6**  
Weather Resistance : IP67

Metal Housing  
Size: 68X172.3mm

Gross Weight: 420g



22,500,000 IR

**14. UVC-222T45P-MC**  
(2.8mm)



1/ 2.9" CMOS Starlight Sensor  
2MP@25/30fps  
2D DNR, UTC , DWDR  
AHD/TVI/CVI/CVBS Output  
**Full color**  
Fixed Dome Camera, **Built in Mic**  
2pcs Warm light  
Warm light range up to 25M  
2.8mm Lens, F1.6  
Weather Resistance : IP65

Plastic Housing  
Size: 68.8\*85.5mm

Gross Weight: 120g



11,500,000 IR

**15. UVC-101T9AQ-L**  
(3.6mm)



1/ 3" CMOS Sensor  
2MP@25/30  
IR Cut, 2D/3D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Dome Camera  
2pcs SMD LED + 1pcs **White light**  
IR range up to 30M  
3.6 mm Lens  
Weather Resistance : IP67

Metal + Plastic Housing  
Size: 102 x 82.4(H) mm

Gross Weight: 205g



12,600,000 IR

**16. UVC-231T9AR-L**  
(3.6mm)



1/ 3" CMOS Sensor  
2MP@25/30  
IR Cut, 2D/3D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Dome Camera  
2pcs SMD LED + 1pcs **White light**  
IR range up to 30M  
3.6 mm Lens  
Weather Resistance : IP67

Metal + Plastic Housing  
Size: 102 x 82.4(H) mm

Gross Weight: 205g



12,600,000 IR

**17. UVC-222T9AR-M**  
(2.8mm)



1/ 2.9" CMOS Starlight Sensor  
2MP@25/30fps  
2D DNR, UTC , DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Dome Camera, **Built in Mic**  
2pcs SMD LED  
IR range up to 30M  
2.8mm Lens  
Weather Resistance : IP67

Metal + Plastic Housing  
Size: 102 x 82.4(H) mm

Gross Weight: 220g



15,000,000 IR

**18. UVC-232T9AR-MC**  
(2.8mm)



1/ 2.9" CMOS Starlight Sensor  
2MP@25/30fps  
2D DNR, UTC , DWDR  
AHD/TVI/CVI/CVBS Output  
**Full color**  
Fixed Dome Camera, **Built in Mic**  
2pcs Warm light  
Warm light range up to 30M  
2.8mm Lens, F1.6  
Weather Resistance : IP67

Metal+Plastic Housing  
Size: 102 x 82.4(H) mm

Gross Weight: 220g



17,000,000 IR

**19. UVC-64T9A**  
(3.6mm)



1/ 2.9" Sony CMOS Sensor  
2MP@25/30fps  
IRCUT, 2D/3D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Super Starlight  
Fixed Dome Camera  
2pcs SMD LED  
IR range up to 30M  
3.6mm Lens  
Weather Resistance : IP67

Metal Housing  
Size: c 102X82.4mm  
Gross Weight: 350g



17,900,000 IR

**20. UVC-85C29**



1/ 3" CMOS Sensor  
2MP@25/30  
IR Cut, 2D/3D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Varifocal Bullet Camera  
30pcs SMD LED  
IR range up to 50M  
2.8-12mm Varifocal Lens  
Weather Resistance : IP66

Metal Housing  
Size: c 67 x 211 mm  
Gross Weight: 720g



20,000,000 IR

**21. UVC-85E97**



1/ 3" CMOS Sensor  
2MP@25/30  
IR Cut, 2D/3D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Varifocal Bullet Camera  
30pcs SMD LED  
IR range up to 50M  
2.8-12mm Varifocal Lens  
Weather Resistance : IP66

Metal Housing  
Size: c 67 x 211 mm  
Gross Weight: 720g



20,000,000 IR

**22. UVC-64C59Z**



1/ 2.8" Sony CMOS Sensor  
2MP@25/30  
IR Cut, 2D/3D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
**Super Starlight**  
Motorized Bullet Camera  
3 pcs SMD LED  
**IR range up to 50M**  
**2.8-12mm Motorized Lens**  
Weather Resistance : IP67

Metal Housing  
Size: Ø235\*83x72.7m  
Gross Weight: 700g



42,000,000 IR

**23. UVC-531B19M**  
(2.8mm)



1/ 2.5 " CMOS Sensor  
5MP@ 20 fps  
IRCUT, 2D DNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera  
18pcs SMD LED  
IR range up to 30 M  
2.8mm Lens Metal Housing  
Weather Resistance : IP66

Size : 152 x 67.5mm  
Gross Weight: 270 g



15,400,000 IR

**24. UVC-532B49M**  
(2.8mm)



1/ 2.7 " CMOS Sensor  
5MP@ 20 fps( 16:9 video output)  
IR Cut, 2 DDNR, UTC, DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera  
2pcs SMD LED  
IR range up to 30 M  
2.8mm Lens Metal Housing  
Weather Resistance : IP67

Size: c 68 X 153 mm  
Gross Weight: 300 g



17,600,000 IR



**25. UVC-532B1AR-MC**  
(2.8mm)



1/ 2.7" CMOS Sensor  
5MP@20fps(16:9 video output)  
2DDNR, UTC,DWDR ,**Full color**  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera , **Built in Mic**  
2pcs Warm light,  
Warm light range up to 30M  
2.8mm Lens,F1.6  
Weather Resistance : IP67


Metal+Plastic Housing  
Size: c66X175.3mm

Gross Weight: 280g



21,500,000 IR

**26. UVC-532B1AR-MC**  
(3.6mm)



1/ 2.7" CMOS Sensor  
5MP@20fps(16:9 video output)  
2DDNR, UTC,DWDR ,**Full color**  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera , **Built in Mic**  
2pcs Warm light,  
Warm light range up to 30M  
3.6mm Lens,F1.6  
Weather Resistance : IP67

Metal+Plastic Housing  
Size: c66X175.3mm

Gross Weight: 280g



21,500,000 IR

**27. UVC-522B49M-MC**  
(2.8mm)



1/ 2.7" CMOS Sensor  
5MP@20fps(16:9 video output)  
2DDNR, UTC,DWDR ,**Full color**  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera , **Built in Mic**  
2pcs Warm light,  
Warm light range up to 30M  
2.8mm Lens,F1.6  
Weather Resistance : IP67

Metal Housing  
Size: c68X153mm

Gross Weight: 300g



22,500,000 IR

**28. UVC-522B49M-MC**  
(3.6mm)



1/ 2.7" CMOS Sensor  
5MP@20fps(16:9 video output)  
2DDNR, UTC,DWDR ,**Full color**  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera , **Built in Mic**  
2pcs Warm light,  
Warm light range up to 30M  
3.6mm Lens,F1.6  
Weather Resistance : IP67

Metal Housing  
Size: c68X153mm

Gross Weight: 300g



22,500,000 IR

**29. UVC-522B59M**  
(2.8mm)



1/ 2.7" CMOS Sensor  
5MP@20fps(16:9 video output)  
IR Cut, 2DDNR, UTC,DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera  
3pcs SMD LED  
**IR range up to 50M**  
2.8mm  
Weather Resistance : IP67

Metal Housing  
Size: 235×83×72.7mm

Gross Weight: 700g



22,600,000 IR

**30. UVC-522B59M-M**  
(2.8mm)



1/ 2.7" CMOS Sensor  
5MP@20fps  
IR Cut, 2DDNR, UTC,DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera , **Built in Mic**  
3pcs SMD LED  
**IR range up to 50M**  
2.8mm , F 1.6  
Weather Resistance : IP67

Metal Housing  
Size: Ø83.1×73.1×235.7 mm

Gross Weight: 700g



23,100,000 IR

### 31. UVC-532B59R-MC

(3.6mm)



1/ 2.7" CMOS Sensor  
5MP@20fps(16:9 video output)  
2DDNR, UTC,DWDR ,Full color  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera , **Built in Mic**  
3pcs Warm light  
Warm light range up to **50M**  
3.6mm Lens,F1.6  
Weather Resistance : IP67

Metal+Plastic Housing  
Size: Ø83.1x73.1x227.6 mm

Gross Weight: 320g



24,000,000 IR

### 32. UVC-532T43P-M

(2.8mm)



1/ 2.7" CMOS Sensor  
5MP@20fps  
IR Cut, 2D/3D DNR, UTC,DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Dome Camera , **Built in Mic**  
1pcs SMD LED  
IR range up to 25M  
2.8mm Lens  
Weather Resistance : IP65

Plastic Housing  
Size: c96.8x85.5mm

Gross Weight: 120g



11,650,000 IR

### 33. UVC-522T9AR

(2.8mm)



1/ 2.7" CMOS Sensor  
5MP@20fps(16:9 video output)  
2DDNR, UTC,DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Dome Camera  
2pcs SMD LED,  
IR range up to 30M  
2.8mm Lens,F1.6  
Weather Resistance : IP67

Metal + Plastic Housing  
Size: c102x82.4mm

Gross Weight: 205g



16,000,000 IR

### 34. UVC-522T9AR-M

(2.8mm)



1/ 2.7" CMOS Sensor  
5MP@20fps(16:9 video output)  
IR Cut, 2DDNR, UTC,DWDR  
AHD/TVI/CVI/CVBS Output  
Fixed Dome Camera ,**Built in Mic**  
2pcs SMD LED  
IR range up to 30M  
2.8mm Lens  
Weather Resistance : IP67

Metal + Plastic Housing  
Size: 102x82.4x72.7mm

Gross Weight: 205g



20,300,000 IR

### 35. UVC-532T9AR-MC

(2.8mm)



1/ 2.7" CMOS Sensor  
5MP@20fps(16:9 video output)  
2DDNR, UTC,DWDR ,Full color  
AHD/TVI/CVI/CVBS Output  
Fixed Dome Camera ,**Built in Mic**  
2pcs Warm light,  
Warm light range up to 30M  
2.8mm Lens,F1.6  
Weather Resistance : IP67

Metal + Plastic Housing  
Size: c102x82.4mm

Gross Weight: 205g



21,500,000 IR

### 36. UVC-532C59M



1/ 2.7" CMOS Sensor  
5MP@20fps(16:9 video output)  
2DDNR, UTC,DWDR  
AHD/TVI/CVI/CVBS Output  
Varifocal Bullet Camera  
3pcs SMD LED,  
**IR range up to 50M**  
3.3-12mm Varifocal Lens  
Weather Resistance : IP67

Metal Housing  
Size: c235x83x72.7mm

Gross Weight: 700g



29,400,000 IR

### 37. UVC-83E97



1/ 2.7" CMOS Sensor  
5MP@20fps(16:9 video output)  
2DDNR, UTC,DWDR ,**Full color**  
AHD/TVI/CVI/CVBS Output  
Fixed Bullet Camera , **Built in Mic**  
3pcs Warm light  
Warm light range up to **50M**  
3.6mm Lens,F1.6  
Weather Resistance : IP67

Metal+Plastic Housing  
Size:  $\Phi 83.1 \times 73.1 \times 227.6$  mm

Gross Weight: 320g



25,300,000 IR